

MSDS

化学品安全技术说明书

Samples Name: Rubber soft magnetic
样品名称: 橡胶软磁

Client Name: Shenzhen Jiaming High-tech Magnet Products Co., Ltd.
委托单位: 深圳市佳明高科磁铁制品有限公司

Client Address: D101, No. 4, Jixiang 3rd Road, Yixin Community, Pingdi Street, Longgang District, Shenzhen, Guangdong, China
地址: 广东省深圳市龙岗区坪地街道怡心社区吉祥三路4号D101

Signed for and on behalf of
Euronex (Dongguan) Consumer Products Testing Service Co., Ltd



WRITTEN BY :

Silvia Chan

陈晓婷, Silvia
报告编写员

REVIEWED BY:

Sunshine Liu

刘小芳, Sunshine
报告审核员

APPROVED BY:

Will Pan

潘坚定, Will
技术总监

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

说明: 报告未盖本机构“检测专用章”无效。报告只对委托之样品负责。报告涂改、自行增删无效。未经本机构批准,不得复制(全文复制除外)本报告。未经授权对本报告的内容或外观进行任何更改、伪造或篡改均属于违法行为,违者将受到法律起诉。如果客户对本报告有异议,请于报告发出之日起15日内提出,逾期不予受理。



400 111 6218

Euronex (Dongguan) Consumer Products Testing Service Co., Ltd

东莞市欧冠检测技术服务有限公司

电话 Tel: (86-769) 38937858

传真 Fax: (86-769) 38937859

网址 Http:// www.cpstlab.com

Room 1092, No.12, East of Houjie Avenue, Houjie, Dongguan, Guangdong, China

中国·广东·东莞·厚街镇厚街大道东12号1092室

邮编 Postcode: 523945

邮箱 E-mail: service@cpstlab.com

Material Safety Data Sheet 化学品安全技术说明书

Section 1 - Chemical Product and Company Identification

第一项: 化学品名称和制造商信息

Product Name: Rubber soft magnetic

产品名称: 橡胶软磁

Client Name : Shenzhen Jiaming High-tech Magnet Products Co., Ltd.

委托单位: 深圳市佳明高科磁铁制品有限公司

Client Address: D101, No. 4, Jixiang 3rd Road, Yixin Community, Pingdi Street, Longgang District, Shenzhen, Guangdong, China

地址: 广东省深圳市龙岗区坪地街道怡心社区吉祥三路4号D101

Contact Person: Zhou Yi

联系人: 周毅

Tel: 13723723731

电话: 13723723731

E-MAIL: zhouyi@szjmgk.com

邮箱: zhouyi@szjmgk.com

Fax: 0755-28908100

传真: 0755-28908100

Section 2 - Hazards Identification

第二项: 危害信息

Fatalness grade: In accordance with Regulation (EC) No. 1272/2008, the sample is not divided into dangerous article.

危险性类别: 根据指令(EC) No. 1272/2008 该样品未被划分为危险品。

Invasion route: Skin contact: Molten material may cause thermal burns.

侵入途径: 皮肤接触: 熔化的材料可能导致热灼伤。

Eyes contact: May stimulate the eyes.

眼睛接触: 可能刺激眼睛。

Inhalation: May be harmful if inhaled Its vapor.

吸入: 吸入其蒸汽有害。

Ingestion: It can cause our stomach upset if we swallowed.

摄入: 吞食可引起肠胃不适。

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

说明: 报告未盖本机构“检测专用章”无效。报告只对委托之样品负责。报告涂改、自行增删无效。未经本机构批准,不得复制(全文复制除外)本报告。未经授权对本报告的内容或外观进行任何更改、伪造或篡改均属于违法行为,违者将受到法律起诉。如果客户对本报告有异议,请于报告发出之日起15日内提出,逾期不予受理。



400 111 6218

Eurones (Dongguan) Consumer Products Testing Service Co., Ltd

东莞市欧冠检测技术服务有限公司

电话 Tel: (86-769) 38937858

传真 Fax: (86-769) 38937859

网址 Http:// www.cpstlab.com

Room 1092, No.12, East of Houjie Avenue, Houjie, Dongguan, Guangdong, China

中国·广东·东莞·厚街镇厚街大道东12号1092室

邮编 Postcode: 523945

邮箱 E-mail: service@cpstlab.com

Health hazards: May be harmful if inhaled Its vapor ,It can cause our stomach upset if we swallowed.

健康危害: 吸入其蒸汽有害, 吞食可引起肠胃不适。

Environment hazards: The sample powder is harmful to the environment, do not pour it into water without government permission.

环境危害: 该样品粉末对环境有危害, 未经政府许可, 勿将其倒入水中。

Burn & burst danger: The samples is nonflammable.

燃爆危险: 样品不易燃。

Section 3 -Composition/Information on Ingredient

第三项: 组成信息

Pure Admixture

纯品 混合物

Composition:

化学成分:

Chemical Name 化学名称	CAS No. CAS 号	In % By Weight 成分比
Iron oxide 氧化铁	1309-37-1	90%
Chlorinatedpolyethylene 氯化聚乙烯	63231-66-3	10%

Section 4 - First Aid Measures

第四项: 急救措施

Skin touch: If the skin is in contact with melted material, do not use ice cubes and apply ice cold or flow water to cool the skin.Do not attempt to remove material from the skin.Remove any tissue damage that may result. Seek immediate medical attention.

皮肤接触: 如果皮肤与融化的物质接触, 请勿使用冰块并用冰冷或用流动水冷却皮肤, 请勿尝试从皮肤上清除物质, 以免可能造成的组织损伤。 立即就医。

Eyes touch: Lifting the upper and lower eyelids, flush the eyes with plenty of water or saline water. Get medical aid.

眼睛接触: 提起眼睑, 用流动清水或生理盐水冲洗。就医。

Inhalation: If exposure to fumes from overheating, move to fresh air immediately. Keep the respiratory tract smooth. Use oxygen if available. Get medical aid.

吸入: 迅速脱离现场至空气新鲜处。保持呼吸道通畅。如呼吸困难, 给输氧。就医。

Ingestion: Drink sufficient hot water and induce vomiting. Get medical aid.

摄入: 饮足量温水, 催吐。就医。

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

说明: 报告未盖本机构“检测专用章”无效。报告只对委托之样品负责。报告涂改、自行增删无效。未经本机构批准, 不得复制(全文复制除外)本报告。未经授权对本报告的内容或外观进行任何更改、伪造或篡改均属于违法行为, 违者将受到法律起诉。如果客户对本报告有异议, 请于报告发出之日起 15 日内提出, 逾期不予受理。



Section 5 - Fire Fighting Measures

第五项: 消防措施

Danger characteristic: Contact with hydrogen peroxide, ethylene oxide and calcium hypochlorite can cause an explosion. It reacts violently with aluminum powder, hydrazine and hydrogen trisulfide. Exposure to carbon monoxide can form explosive substances.

危险特性: 接触过氧化氢、环氧乙烷和次氯酸钙能引起爆炸。与铝粉、联氨、三硫化氢接触发生剧烈反应。接触一氧化碳能形成爆炸性物质。

Hazardous combustion products: Unknown decomposition products, toxic gas will be generated.

有害燃烧产物: 分解产物未知, 会产生有毒气体。

Fire-Fighting method & media: The staff must equip with filtermask (full mask) or isolated breathing apparatus.

The staff must wear the clothes which can defense the fire and the toxic gas. Put out the fire in the upwind direction. Remove the container to the open space as soon as possible. Spray water on the containers in the fireplace to keep them cool until finish extinguishment. Media: hazy water, foam, powder, CO₂, sandy clay.

灭火方法及灭火剂: 消防人员必须佩戴过滤式防毒面具(全面罩)或隔离式呼吸器、穿全身防火防毒服, 在上风向灭火。尽可能将容器从火场移至空旷处。喷水保持火场容器冷却, 直至灭火结束。处在火场中的容器若已变色或从安全泄压装置中产生声音, 必须马上撤离。灭火剂: 雾状水、泡沫、干粉、二氧化碳、砂土。

Section 6 - Accidental Release Measures

第六项: 泄露应急处理

Emergency treatment: Cut off the fire source. Evacuate the personnel to a safe place as soon as possible, isolate the polluted area, restrict on access. It is advised that the staff wear dust respirator, working clothes. Small amount of divulgence: clean off. Put into bags and transfer to safe places. Massive divulgence: Recycle or transport to waste treatment place for handling.

应急处理: 切断火源。将人员疏散到安全的地方, 隔离污染区, 限制人员进入。建议人员戴防尘口罩, 工作服。少量泄露: 清理干净。放进袋中转移至安全地方。大量泄漏: 回收或运至废物处理场所处置。

Section 7 - Handling and Storage

第七项: 操作和储存

Handling: Supply with sufficient partial air exhaust. The operating staff must have received special training and abide by the operating regulations. It is advised that the staff wear self-contained breathing dust respirator, protective gloves, and working clothes. Keep away from fire and heating sources. No smoking in the workplace. Avoid producing dust. Prevent contacting with Acid, aluminum, CO, ethylene oxide, hydrazine hydrate, calcium hypochlorite, bromine pentafluoride, cesium carbide, etc.. Equip with relevant types and quantities of the

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

说明: 报告未盖本机构“检测专用章”无效。报告只对委托之样品负责。报告涂改、自行增删无效。未经本机构批准, 不得复制(全文复制除外)本报告。未经授权对本报告的内容或外观进行任何更改、伪造或篡改均属于违法行为, 违者将受到法律起诉。如果客户对本报告有异议, 请于报告发出之日起 15 日内提出, 逾期不予受理。



extinguishment instruments and devices for divulgence handling. Empty the container that may contain harmful residue.

操作注意事项: 密闭操作, 提供充分的局部排风。操作人员必须经过专门培训, 严格遵守操作规程。建议操作人员佩戴自给式防护口罩, 佩戴防护手套。远离火种、热源, 工作场所严禁吸烟。避免产生烟雾。避免与酸、铝、CO、环氧乙烷、水合肼、次氯酸钙、五氟化溴、铯碳化物等接触。配备相应品种和数量的消防器材及泄漏应急处理设备。

Storage: Stored in dry place And well packed, damp proof, natural ventilation. Keep away from fire and heating sources. Equip with relevant types and quantities of the extinguishment instruments.

储存注意事项: 储存于干燥处并妥善包装, 防湿, 自然通风。远离火种、热源。配备相应品种和数量的消防器材。

Section 8 - Exposure Controls, Personal Protection

第八项: 接触控制和个人防护措施

Maximum admissible concentration: No standard yet

最高容许浓度: 未制定标准

Monitoring Method: None.

监测方法: 无。

Engineering Control: To supply with sufficient air exhaust.

工程控制: 提供充分的排风。

Respiratory Protection: Respirators should be worn during emergency rescue or evacuation.

呼吸系统防护: 紧急事态抢救或撤离时, 应该佩戴携气式呼吸器。

Eyes Protection: Safety goggles.

眼睛防护: 安全护目镜。

Body Protection: Wear protective overalls.

皮肤和身体防护: 穿防毒物渗透工作服。

Hands Protection: Wear rubber and oil-resistant gloves..

手防护: 戴橡胶耐油手套。

Other Protections: No smoking in the workplace. Keep good habit of hygiene. Shower and eyewash facilities are provided.

其他防护: 工作现场禁止吸烟、进食和饮水。保持良好的卫生习惯。提供淋浴和洗眼设施。

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

说明: 报告未盖本机构“检测专用章”无效。报告只对委托之样品负责。报告涂改、自行增删无效。未经本机构批准, 不得复制(全文复制除外)本报告。未经授权对本报告的内容或外观进行任何更改、伪造或篡改均属于违法行为, 违者将受到法律起诉。如果客户对本报告有异议, 请于报告发出之日起 15 日内提出, 逾期不予受理。



400 111 6218

Eurones (Dongguan) Consumer Products Testing Service Co., Ltd

东莞市欧冠检测技术服务有限公司

电话 Tel: (86-769) 38937858

传真 Fax: (86-769) 38937859

网址 Http:// www.cpstlab.com

Room 1092, No.12, East of Houjie Avenue, Houjie, Dongguan, Guangdong, China

中国·广东·东莞·厚街镇厚街大道东12号1092室

邮编 Postcode: 523945

邮箱 E-mail: service@cpstlab.com

Section 9 - Physical and Chemical Properties

第九项: 物理和化学特性

Appearance: smooth

外观: 光滑

Color: Black flake

颜色: 黑色片状

Odour: Odorless

气味: 轻微

Flashpoint: N/A

闪点: N/A

Chemical properties: Substance

化学品属性: 物质

Solubility: hardly soluble in water and does not react with water. Soluble in acid and react with acid. Does not react with NaOH.

溶解性: 难溶于水, 不与水反应。溶于酸, 与酸反应。不与NaOH反应。

Density: 3.7g/cm³

密度: 3.7g/cm³

Ignition temperature: N/A

燃点温度: N/A

Section 10 - Stability and Reactivity

第十项: 稳定性和反应性

Stability: Stable under normal temperature and pressure.

稳定性: 常态下稳定

Distribution of Ban: Acid, aluminum, CO, ethylene oxide, hydrazine hydrate, calcium hypochlorite, bromine pentafluoride, cesium carbide, etc.

禁配物: 酸、铝、CO、环氧乙烷、水合肼、次氯酸钙、五氟化溴、铯碳化物等

Conditions to Avoid: Heat, high temperature, fire source, humid environment, etc .

避免接触的条件: 热, 高温, 火源, 潮湿环境等。

Hazardous Polymerization: None.

聚合危害: 无

Hazardous Decomposition Products: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

分解产物: 正常条件下不会产生分解物及其他刺激性物质。

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

说明: 报告未盖本机构“检测专用章”无效。报告只对委托之样品负责。报告涂改、自行增删无效。未经本机构批准,不得复制(全文复制除外)本报告。未经授权对本报告的内容或外观进行任何更改、伪造或篡改均属于违法行为,违者将受到法律起诉。如果客户对本报告有异议,请于报告发出之日起15日内提出,逾期不予受理。



Section 11 - Toxicological Information

第十一项: 毒理学信息

Acute Toxicity:

急性毒性:

Oral: LD50-rat (male/female)-> 5 000 mg/ bw.

经口: LD50 - rat (male/female) - > 5 000 mg/ bw.

Inhalation: discriminating conc.-rat (male/female)-5.05 mg/L air.

吸入: discriminating conc. - rat (male/female) - 5.05 mg/L air.

Transdermal: No information.

经皮: 无资料

Skin irritation or corrosion: No information.

皮肤刺激或腐蚀: 无资料。

Eye irritation or corrosion: No information.

眼睛刺激或腐蚀: 无资料。

Respiratory or skin sensitization: No information.

呼吸或皮肤过敏: 无资料。

Germ cell mutagenicity: No information.

生殖细胞突变性: 无资料。

Carcinogenicity: No information.

致癌性: 无资料。

Reproductive toxicity: No information.

生殖毒性: 无资料。

Specific target organ system toxicity-single exposure: may cause mechanical irritation.

特异性靶器官系统毒性——一次接触: 可能引起机械性刺激。

Specific target organ system toxicity-repeated exposure: repeated or long-term exposure to dust particles may damage the lungs, resulting in iron pneumoconiosis.

特异性靶器官系统毒性——反复接触: 反复或长期接触粉尘颗粒, 肺可能受损伤, 导致铁尘肺。

Inhalation hazard: The pollution concentration of particulate matter in the air can be reached quickly when it diffuses, especially powder.

吸入危害: 扩散时可较快地达到空气中颗粒物公害污染浓度, 尤其是粉末。

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

说明: 报告未盖本机构“检测专用章”无效。报告只对委托之样品负责。报告涂改、自行增删无效。未经本机构批准,不得复制(全文复制除外)本报告。未经授权对本报告的内容或外观进行任何更改、伪造或篡改均属于违法行为,违者将受到法律起诉。如果客户对本报告有异议,请于报告发出之日起15日内提出,逾期不予受理。



400 111 6218

Eurones (Dongguan) Consumer Products Testing Service Co., Ltd

东莞市欧冠检测技术服务有限公司

电话 Tel: (86-769) 38937858

传真 Fax: (86-769) 38937859

网址 Http:// www.cpstlab.com

Room 1092, No.12, East of Houjie Avenue, Houjie, Dongguan, Guangdong, China

中国·广东·东莞·厚街镇厚街大道东12号1092室

邮编 Postcode: 523945

邮箱 E-mail: service@cpstlab.com

Section 12 - Ecological Information

第十二项: 生态学信息

Eco-toxicity:

生态毒性:

Fish acute toxicity test: LC0-Danio rerio (previous name: Brachydanio rerio)->= 50 000 mg/L-96 h

鱼类急性毒性试验: LC0 - Danio rerio (previous name: Brachydanio rerio) - >= 50 000 mg/L - 96 h.

Acute activity inhibition test of Daphnia: EC50-Daphnia magna-> 100 mg/L-48 h

溞类急性活动抑制试验: EC50 - Daphnia magna - > 100 mg/L - 48 h.

Algae growth inhibition test: EC50-Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)-18 mg/L-72 h.

藻类生长抑制试验: EC50 - Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum) - 18 mg/L - 72 h.

Toxicity to microorganisms: EC50-activated sludge of a predominantly domestic sewage-> 10 000 mg/L-3 h

对微生物的毒性: EC50 - activated sludge of a predominantly domestic sewage - > 10 000 mg/L - 3 h.

Persistence and degradability: No data.

持久性和降解性: 无资料。

Bioaccumulation or bioaccumulation: No data.

生物富集或生物积累性: 无资料。

Mobility in soil: Not available.

土壤中的迁移性: 无资料。

Section 13 - Disposal Considerations

第十三项: 废弃处置

Nature of waste: This product is not regarded as hazardous waste, as defined by Regulation (EC) No. 1272/2008.

废弃物性质: 本样品不被视为危险废物, 所定义的法规(EC)No.1272/2008

Waste disposal methods: Refer to National or Local regulations before handling.

废弃处置方法: 处置前应参阅国家和地方有关法规。

Attention abandoned: Avoid polluting the environment. Prevent waste from entering sewers, surface water and groundwater.

废弃注意事项: 避免污染环境。防止废弃物进入下水道、地表水和地下水。

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

说明: 报告未盖本机构“检测专用章”无效。报告只对委托之样品负责。报告涂改、自行增删无效。未经本机构批准,不得复制(全文复制除外)本报告。未经授权对本报告的内容或外观进行任何更改、伪造或篡改均属于违法行为,违者将受到法律起诉。如果客户对本报告有异议,请于报告发出之日起15日内提出,逾期不予受理。



400 111 6218

Eurones (Dongguan) Consumer Products Testing Service Co., Ltd

东莞市欧冠检测技术服务有限公司

电话 Tel: (86-769) 38937858 传真 Fax: (86-769) 38937859

网址 Http:// www.cpstlab.com

Room 1092, No.12, East of Houjie Avenue, Houjie, Dongguan, Guangdong, China

中国·广东·东莞·厚街镇厚街大道东12号1092室

邮编 Postcode: 523945

邮箱 E-mail: service@cpstlab.com

Section 14 - Transport Information

第十四项: 运输信息

Number of dangerous goods: No applicable.

危险货物编号: 不适用

UN Number: No applicable.

UN 编号: 不适用

Packaging Mark: No applicable.

包装标志: 不适用

Packaging Method: No specific data.

包装方法: 无相关数据

Transport Fashion: No specific data.

运输方式: 无相关数据。

NOT classified as hazardous under IMDG regulations for sea transport.

《国际危规海上运输条例》未列为危险品的。

Transport Attentions: Examine whether the package of the containers are integrate or not before transport. No divulgence, no collapse, no precipitation or no damage during the course of transportation. Don't put the goods together with oxidizer and strong acid. The transport vehicle and ship must be cleaned and sterilized otherwise it is not allowed to assemble articles. During transport, the vehicle should prevent exposure, rain and high temperature. For stopovers, the vehicle should be away from fire and heat sources. When transported by sea, the assemble place should keep away from bedroom and kitchen, and isolated from the engine room, power and fire source.

运输注意事项: 运输前应先检查包装容器是否完整、密封, 运输过程中要确保容器不泄漏、不倒塌、不坠落、不损坏。严禁与氧化剂、食用化学品等混装混运。运输车船必须彻底清洗、消毒, 否则不得装运其他物品。运输时车辆应避免雨淋和高温, 中途停留时, 车辆应远离明火和高温热源。船运时, 配装位置应远离卧室、厨房, 并与机舱、电源、火源等部位隔离。

Section 15 - Regulatory Information

第十五项: 法规信息

Regulatory Information: ISO 11014-2009 Safety data sheet for chemical products - Content and order of sections.

法规信息: ISO 11014-2009 化学品安全资料表的内容和项目顺序。

Regulation (EC) No. 1272/2008 Classification, Labelling and Packaging of Substances and Mixtures.

法规(EC)No.1272/2008, 标签和包装的物质和混合物。

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

说明: 报告未盖本机构“检测专用章”无效。报告只对委托之样品负责。报告涂改、自行增删无效。未经本机构批准, 不得复制(全文复制除外)本报告。未经授权对本报告的内容或外观进行任何更改、伪造或篡改均属于违法行为, 违者将受到法律起诉。如果客户对本报告有异议, 请于报告发出之日起 15 日内提出, 逾期不予受理。



Section 16 - Additional Information

第十六项: 其他信息

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier, nor any its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

以上信息基于数据准确的基础上, 因为此信息可能在我们无法控制的情况下被应用, 或者被修改, 对此我们不负担任何责任。此信息在收件人决定对材料的专有目的的情况下而配置。

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

说明: 报告未盖本机构“检测专用章”无效。报告只对委托之样品负责。报告涂改、自行增删无效。未经本机构批准, 不得复制(全文复制除外)本报告。未经授权对本报告的内容或外观进行任何更改、伪造或篡改均属于违法行为, 违者将受到法律起诉。如果客户对本报告有异议, 请于报告发出之日起 15 日内提出, 逾期不予受理。



400 111 6218

Eurones (Dongguan) Consumer Products Testing Service Co., Ltd

东莞市欧冠检测技术有限公司

电话 Tel: (86-769) 38937858 传真 Fax: (86-769) 38937859

网址 Http:// www.cpstlab.com

Room 1092, No.12, East of Houjie Avenue, Houjie, Dongguan, Guangdong, China


中国·广东·东莞·厚街镇厚街大道东12号1092室

邮编 Postcode: 523945

邮箱 E-mail: service@cpstlab.com

Photo of the Submitted Sample

送检样品照片



*** End of Report ***

*** 报告结束 ***

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

说明: 报告未盖本机构“检测专用章”无效。报告只对委托之样品负责。报告涂改、自行增删无效。未经本机构批准,不得复制(全文复制除外)本报告。未经授权对本报告的内容或外观进行任何更改、伪造或篡改均属于违法行为,违者将受到法律起诉。如果客户对本报告有异议,请于报告发出之日起15日内提出,逾期不予受理。



400 111 6218

Eurones (Dongguan) Consumer Products Testing Service Co., Ltd

东莞市欧冠检测技术服务有限公司

电话 Tel: (86-769) 38937858 传真 Fax: (86-769) 38937859

网址 Http:// www.cpstlab.com

Room 1092, No.12, East of Houjie Avenue, Houjie, Dongguan, Guangdong, China

中国·广东·东莞·厚街镇厚街大道东12号1092室

邮编 Postcode: 523945

邮箱 E-mail: service@cpstlab.com